

INDUCTION COOKOPS

FIC BC S

- 4 digit LED display
- 7 intelligent cooking functions
- 6 power level adjustments from 300W to 1800W
- 6 level temperature setting from 80°C to 240°C
- Over heat auto-protect function
- Button control and elegant appearance
- B-Crystal glass-quality
- Size: 270x350x65(mm)







Equidistant around the coil plate



Timer for quick & hassle free cooking











- 4 digit LED display
- 7 intelligent cooking functions
- 8 power level adjustments from 300W to 1800W
- 8 level temperature setting from 60°C to 240°C
- Over heat auto-protect function
- Easy control and elegant appearance
- B-Crystal glass-quality
- Size: 295x352x65(mm)





German technology & Siemens |GBT




















- 4 digit LED display
- 9 intelligent cooking functions
- 8 power level adjustments from 300W to 2000W
- 8 temperature setting from 60°C to 240°C
- Over heat auto-protect function
- Easy control and elegant appearance
- AAA glass-quality
- Size: 300x360x65(mm)



German technology Equidistant around & Siemens IGBT the coil plate





Timer for quick hassle free cooking











FIC H 7F TC LCW

- 4 digit LED display
- 7 intelligent cooking functions
- 8 power level adjustments from 300W to 2000W
- 8 temperature setting from 60°C to 240°C
- Over heat auto-protect function
- High-Voltage & Low-Voltage protection
- Touch sensor control
- Special curvy glass design
- 2 hours turn off if no operation
- I minute turn off if no pot
- AAA glass-quality
- Size: 280x356x65(mm)



German technology Touch Control & Siemens IGBT























INDUCTION COOKOPS

FIC H 8F TC M

- 4 digit LED display
- 8 intelligent cooking functions
- 8 power level adjustments from 300W to 1800W
- 8 level temperature setting from 60°C to 240°C
- Over heat auto-protect function
- Touch control and elegant appearance
- AAA glass-quality
- Size: 320x390x60(mm)



















Equidistant around the coll plate

Timer for quick & hassle free cooking

FIC M 8F TC M



- 4 digit LED display
- 8 intelligent cooking functions
- 8 power level adjustments from 300W to 1800W
- $\bullet~$ 8 level temperature setting from 60°C to 240°C
- Over heat auto-protect function
- Touch control and elegant appearance
- AAA glass with large cooking area
- Size: 295x350x60(mm)

Child Lock

















German technology & Siemens IGBT

FIC H 8F TC L

- 4 digit LED display
- 8 intelligent cooking functions
- 8 power level adjustments from 300W to 1800W
- 8 level temperature setting from 60°C to 240°C
- Over heat auto-protect function
- Touch control and elegant appearance
- Anti skid vessel ring
- AAA glass-quality
- Size: 320x390x60(mm)





















Equidistant around the coil plate

Timer for quick & hassle free cooking

Child Lock

62



MICROWAVE OVENS - Free Standing

FMWO 17L S



- · Color: White
- 30 Minutes Timer
- 6 Microwave Power Levels
- · Speed Defrost Setting
- · Cooking End Signal
- Power: 700W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 9,5 kgs
- Gross Weight: 11kgs
- Product Dimensions(L*W*H): 452*309*262 mm

FMWO 20L S



- · Color: Silver Mirror Glass
- 35' Minutes Timer
- 5 Microwave Power Levels
- · Defrost Setting
- · Cooking End Signal
- Power: 800W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 11,45 kgs
- Gross Weight: 11.75 kgs
- Product Dimensions(L*W*H): 440*355*258 mm

FMWO 20L SG



- · Color: Black
- Microwave And Grill Combination
- 8 Auto Cooking Menus
- 95' Minutes Timer
- 5 Microwave Power Levels
- Defrost Setting
- · Cooking End Signal
- Power: 700W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 11,95 kgs
- Gross Weight: 12.25 kgs
- Product Dimensions(L*W*H): 440*350*258 mm

FMWO 25L SG



- Color: SS
- Grill Combination
- Timer Function
- Variable Microwave Power Levels
- Defrost Setting
- · Cooking End Signal
- · Child Safety Lock
- Power: 900W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 16 kgs
- Gross Weight: 18 kgs
- Product Dimensions(L*W*H): 483*281*442 mm

MICROWAVE OVENS - Free Standing

FMWO 20L SG-AG



- · Color: Silver
- Convection Function- 3D Cooking
- Grill Combination Timer Function
- 99 minutes digital Timer
- 11 Microwave Power Levels
- · Speed and Defrost Setting
- Cooking End Signal
- · Child Safety Lock
- Power: 800W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 10.5 kgs
- Gross Weight: 11.3 kgs
- Product Dimensions(L*W*H): 452*360*262 mm

FMWO 25L CGS




- · Color: SS
- Convection Function-3D Cooking
- Grill Combination
- · Timer Function
- 8 Auto Cooking Menus
- Variable Microwave Power Levels
- Defrost Setting
- Cooking End Signal
- Child Safety Lock
- Power: 900W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 18,40 kgs
- Gross Weight: 20 kgs
- Product Dimensions(L*W*H): 539*300*446 mm

FMWO 30L CGS



- · Color: SS
- Convection Function-3D Cooking
- Grill Combination
- Rotisseries for grilling
- Timer Function
- Timer Function
- 8 Auto Cooking Menus
- · Variable Microwave Power Levels
- Defrost Setting
- Cooking End Signal
- · Child Safety Lock
- Power: 1250W
- Voltage: 230V
- Frequency: 50HZ
- Net Weight: 18,40 kgs.
- Gross Weight: 20.10 kgs.
- Product Dimensions(L*W*H): 539*300*446 mm







EXHAUST FANS

VF-N SERIES







DIMENSION (mm)

Model	Α	В	C	D
VF-N4	158x158	21	55	98
VF-N6	209x209	21	68	148





SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	[m³/h]	•
VF-N4	220-240	15	100	1,490/-
VF-N6	220-240	25	300	1.990/-

VF-M SERIES







DIMENSION (mm)

	• ,			
Model	Α	В	C	D
VF-M4-1	150x150	50	42	98
VF-M6-1	210x210	60	60	148




SPECIFICATIONS

	· · · · · · /				
Model	Rated Voltage	Input	Size	MRP	
	[V]	[W]	[mm]	₹	
VF-M4-1	220-240	15	100	2,690/-	
VF-M6-1	220-240	25	150	4.190/-	

VF-B SERIES





DIMENSION (mm)


Model	А	В	C	D
Model	^	U	U	U
VF-Q4	140x140	11	88	98
VF-Q6	190x190	15	112	148
VF-Q8	257x257	8	129	196

SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	[m³/h]	*
VF-B4	220-240	15	100	1,290/-
VF-B6	220-240	25	300	1,790/-
VF-B8	220-240	25	350	2,590/-

VF-X SERIES





DIMENSION (mm)

Model	Α	В	C	D
VF-X4AP-M	150x150	21	72	98
VF-X6AP-M	190x200	25	93	145




SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	[m³/h]	₹
VF-X4AP	-M 220-240	15	100	3,490/-
VF-X6AP	-M 220-240	25	300	4,490/-

VF-G SERIES







DIMENSION (mm)

	(,			
Model	Α	В	C	D
VF-G4H	158x158	30	58	97
VF-G6H	210x210	30	65	149



SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	[m³/h]	₹
VF-G4H	220-240	15	100	2,590/-
VF-G6H	220-240	25	300	3,590/-



EXHAUST FANS

VF-W SERIES

 \oplus



DIMENSION (mm)

Model	Α	В	C	D
VF=W4H	150x150	27	72	78
VF-W6H	200x200	28	94	145




SPECIFICATIONS

Model	Rated Voltage	Input Air-flow		MRP
	[V]	[W]	[m³/h]	₹
VF-W4H	220-240	15	100	3,290/-
VE WELL	220.240	25	200	4.2007

VF-V SERIES





DIMENSION (mm)


Model	Α	В	C	D
VF-V4M	150x150	20	55	98
VF-V6M	210x210	20	68	145



SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP	
	[V]	[W]	[m³/h]	₹	
VF-V4M	220-240	15	100	3,990/-	
VF-V6M	220-240	25	300	5,290/-	

VF-Q SERIES



DIMENSION (mm)


Model	Α	В	C	D
VF-Q4	197x197	40	42	99
VF-Q6	225x225	43	69	145



SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	[m³/h]	₹
VF-Q4	220-240	15	100	4,490/-
VF-Q6	220-240	25	300	5.790/-

VF-SS SERIES



DIMENSION (mm)

Model	Α	В	C	D
VF-SS4	150x150	34	86	94
VF-SS6	210x210	33	120	145



SPECIFICATIONS

Model	Rated Voltage	Input	Air-flow	MRP
	[V]	[W]	$[m^3/h]$	₹
VF-SS4	220-240	15	100	2,790/-
VF-SS6	220-240	25	300	4,090/-

RICE COOKERS

FCR 3D 1.8L



Model:

FCR 3D 1.8L

Capacity:

Capacity:1.8 L

Functions:

Cooking Steamer

Keep Warm

General Features:

Finish: White Detachable Power cord: Yes

Lid Material: Plastic Measuring Cup: Yes

Spatula: Yes Cooking Pan: Non-Stick

Steaming Basket

Automatic keep-warm function Pushbutton Lid Release

Power:

Power Input: 230V

Cord Length: 1.5 M Frequency: 50-60 Hz

Power Consumption: 700 watt

Safety Features:

Automatic shut-off

Cool Touch Handles

Dimensions

Height: 285 mm Width: 285 mm Depth: 280 mm

FCR 3D 1.8L SS



Model:

FCR 3D 1.8L SS

Capacity:

Capacity: 1.8 L

Functions:

Cooking

Steamer

Keep Warm

General Features:

Finish: Inox

Detachable Power cord

Lid Material: SS

Measuring Cup Spatula

Cooking Pan: Non-Stick

Steaming Basket

Automatic keep-warm function Pushbutton Lid Release

Power:

Power Input: 230V

Cord Length: 1.5 M

Frequency: 50-60 Hz

Power Consumption: 700 watt

Safety Features:

Automatic shut-off

Cool Touch Handles

Dimensions

Height: 285 mm Width: 285 mm

Depth: 280 mm

HAIR DRYERS

Faber 2010



Faber 2010-1



Model:

Faber 2010

Color: Black

General Features:

Cold and Hot air settings Concentrator Cord Length:1.5 m

Features:

Foldable Handle Low Noise Removable Cap for Easy cleaning

Power Requirements

Power Required (Volts): 220V-240V/50Hz Power Consumption (Watts): 1000

Dimension:

Product Dimension (cm): 18x18

Model:

Faber 2010-1

Color: Orange

General Features:

Cold and Hot air settings Concentrator Cord Length:1.5 m

Features:

Foldable Handle Low Noise Removable Cap for Easy cleaning

Power Requirements:

Power Required (Volts): 220V-240V/50Hz Power Consumption (Watts): 1000

Dimension:

Product Dimension (cm):15x18

HAIR DRYERS

POP UP TOASTER

Faber 2231



Model:

Faber 2231

Color: Green

General Features:

Cold and Hot air settings Concentrator Cord Length:1.5 m

Features:

Foldable Handle Low Noise Removable Cap for Easy cleaning

Power Requirements:

Power Required (Volts): 220V-240V/50Hz Power Consumption (Watts):1200

Dimension:

Product Dimension (cm):17x18

FPT HP WD -001



Model:

FPT HP WD - 001

Functions:

Toasting, Defrost, Variable Browning & Cancel Color: White Variant: 2 Slice

General Features

No of Slices: 2 Auto Pop Up Removable crumb tray Lid

Functions

Toasting Reheat Variable Browning Defrost Cancel

Power

Power Input: 230 V Frequency: 50 Hz Power Consumption: 700 W Cord Storage

Safety Features

Cool Touch Auto Shut Off

Dimensions & Weight

Length: 278 mm Height: 162 mm Width: 186 mm Net Weight: 1.02 kgs Gross Weight: 1.12 Kgs.

FABER CARE - A CUSTOMER CARE INITIATIVE

Post liberalisation, the growing Consumer demands for a better Lifestyle & a look at Kitchen beyond just a necessity, has opened up a spectrum of choices for the Indian Consumer.

Launch of Lifestyle Kitchen Appliances like Kitchen hoods, Built-in Gas Hobs & Built-in Ovens has transformed the Kitchen from merely a Cooking place to a meeting place for the Family.

However with Lifestyle yet being a key driver of this nascent category, which is yet at the conceptual stage, there are increasing demands for Consumer education.

As a category leader it has always been our endeavors to complete knowledge to the valued Consumers & fuel category growth.

Eyeing the increasing demand, the promising future & the growing necessity for Consumer education. Faber established its dedicated Consumer service cell "Faber Care" at the beginning of 2004.

The main responsibility of Faber Care has been to provide an effective interface between the Consumer & the Product / Company.

Assisting the Consumer to understand the Product, its utilities, benefits & imparting complete knowledge of the Use & Maintenance of the Gadget has been the Primary goal of apart from providing value added service like Change of Technology, Kitchen hoods selection process etc. to name a few.

To effectively execute the above responsibilities and for an easy access to the Consumer, the Company has established an independent Call Centre with an all India dedicated "Tollfree" line.

At "Faber" - "We Care"



SERVICE NETWORK CITIES

Ahmedabad	Calicut	Indo
Allahabad	Chandigarh	Jaba
Ambala	Chennai	Jaip
Amritsar	Coimbatore	Jalla
Aurangabad	Dehradun	Jam
Bangalore	Faridabad	Jhar
Bardhaman	Ghaziabad	Kan
Baroda	Gorakhpur	Kan
Behrampur	Gurgaon	Koc
Belgaum	Guwahati	Kolh
Bhatinda	Hooghly	Kolk
Bhopal	Hubli	Kota
Bhubaneshwar	Hyderabad	Kott
Borivali	Ichalkaranji	Lucl

ore Ludhiana alpur Madurai Mangalore landhar Meerut nmu Mumbai nsi Nagpur Nasik ngra New Delhi npur chi Panjim hapur Patna kata Pune Raipur tayam Ranchi know Salem

Sonipat Surat Thane Thiruchirapalli Thiruvananthapuram Thrissur Tirupathi Varanasi Vashi Vijayawada Vizag

Secundarabad

Siliguri

Customer care number: 1800 209 348 E-mail: customercare@faberspa.com

Add some 'FABER' to your kitchen

... and some delight to your daily routine.



• Futuristic Technology • Assured Safety • Beautiful Design • Enriched Health • Reliable Service

Kitchen Chimneys | Hobs | Built in Ovens | Built In Microwave Ovens | Dishwashers | Cooking Range | Cooktops | Induction Plates | Exhaust Fans





CHIMNEYS / HOODS



- Sunzi AC Motor
- Patented3 Layer Baffle Filters
- Suction Power 1200 m³/hr
- Lifetime Warranty

INDUCTION COOKTOPS



- 8 Intelligent Cooking Functions
- 8 Power Levels & 8 Levels Temperature Setting
- Overheat Auto-protect
- Touch Sensor Control

BUILT IN HOBS



- Italian Mini Tripple Ring 'SABAF' Burner
- Strong Pan Support for Indian Kitchens
- Elegant Glass and Steel Finish
- Ergonomic Controls

COOKTOPS



- 4 Brass Burners
 (2 Small, 2 Medium)
- Enameled Grids
- Battery Operated Auto Ignition
- Lifetime Warranty on Brass Burners

BUILT IN OVENS



- 12 Oven functions with Rotisseries
- LED display with Digital Control
- Push-Pull elegant and comfortable function knob
- Child Lock

BUILT IN MWOS



- Grill & Convection functions
- 5 Power Settings
- Auto Cook Menus
- Child Lock

DISHWASHERS



- First time in India-Capacity of 14-place Setting
- 8 Washing Programs & 6 Washing Temperatures
- Fingerprint free SS finish and SS interior
- Additional Top Spray

COOKING RANGES



- SS Finish
- Italian 'SABAF' Burner
- Auto Electric Ignition for Burners Oven & Grill
- 114 Ltr Gas Oven
- Rotisserie, Timer & Oven Lamp

MICRO WAVE OVENS



- Grill Combination
- Timer Function
- Variable Microwave Power level
- Child Lock

BATHROOM EXHAUST FANS



- High speed for quick air circulation
- Efficient motors for low power consumption
- Low on noise
- Long life bearing motor

74



Contact Us

C M Y K

Andhra Pradesh 9902980408

Delhi 9958008129, 9899757009

 Gujarat
 9840092076

 Karnataka
 9902980408

 Kerala
 9902980408

Madhya Pradesh 9826705930, 8889285786

Maharashtra 9324152550

Mumbai 9923595490, 9923595491

 North
 9711190784

 Punjab / Haryana / Himachal Pradesh / JK
 9915099140

 Rajasthan
 9828117705

 Tamil Nadu
 9902980408

 Uttar Pradesh
 9839345272

 West
 9372218722

 West Bengal
 9007132571

Corporate Office FRANKE FABER INDIA LIMITED, 204, Pentagon-2, Magarpatta City, Hadapsar, Pune-411013. Toll Free number: 1800 209 3484 email-customercare@faberspa.com Regd. Office / Factory Address FRANKE FABER INDIA LIMITED 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune - 412208 Maharashtra, India.